

**Listing of the Claims:**

Claims 1-24 (cancelled)

Claim 25 (Previously Presented): An isolated polypeptide having at least 95% sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:83);
- (b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO: 83), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO: 83);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO: 83), lacking its associated signal peptide;
- or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209621;

wherein the polypeptide is able to inhibit proliferation of stimulated T-lymphocytes.

Claim 26 (Previously Presented): The isolated polypeptide of Claim 25 having at least 99% sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:83);
- (b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO: 83), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO: 83);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO: 83), lacking its associated signal peptide;
- or

- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209621;

wherein the polypeptide is able to inhibit proliferation of stimulated T-lymphocytes.

Claim 27 (Previously Presented): A chimeric polypeptide comprising a polypeptide according to Claim 25 fused to a heterologous polypeptide.

Claim 28 (Previously Presented): The chimeric polypeptide of Claim 27, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.

Claims 29-34 (Cancelled)

Claim 35 (Previously Presented): An isolated polypeptide comprising:

- (a) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:83);
- (b) the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO: 83), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO: 83);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO: 83), lacking its associated signal peptide;
- or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209621.

Claim 36 (Previously Presented): An isolated polypeptide comprising the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:83).

Claim 37 (Previously Presented): An isolated polypeptide comprising the amino acid sequence of the polypeptide shown in Figure 32 (SEQ ID NO:83), lacking its associated signal peptide.

Claim 38 (Previously Presented): The isolated polypeptide of Claim 35 comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:83).

Claim 39 (Previously Presented): The isolated polypeptide of Claim 35 comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 32 (SEQ ID NO:83), lacking its associated signal peptide.

Claim 40 (Previously Presented): An isolated polypeptide comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209621.